

Table of Contents

04

Choosing the Correct Frame

05

Wrap Frames

23

Checklist for the Perfect Fit

24

Flat Frames

53

Frame Warranty Support





EyeSafe™ offers a large selection of frames – from close-fitting wrapped and sealed options, to flat office styles. Here's what you need to know to choose the right frame for you.

WHAT EYE SAFETY HAZARDS DO YOU FACE AT YOUR WORKPLACE?

It is critical to understand the types of safety hazards that you will face at your workplace. Some hazards require special types of safety frames, such as chemical goggles if you are working closely with hazardous liquids. Sealed and semisealed frames work best for environments with airborne dust and debris.

To make sure that you receive the proper safety eyewear and the correct degree of eye protection, discuss your workplace hazards with your EyeSafeTM clinic.

KNOW YOUR FRAME MATERIAL CHOICES

Frames are available in both metals and plastics. Choose the proper materials based on your work environment and hazards, personal style, fit and feel. EyeSafeTM provides non-conductive eyewear for individuals who are exposed to electrical hazards.

COMFORT AND DESIGN

Every individual has a unique facial structure. The EyeSafeTM team has curated an industry leading selection of options to ensure your frame is light, an appropriate match to your prescription, fits well on the bridge of your nose, and provides a good level of peripheral vision. When visiting an EyeSafeTM clinic, you will be offered a selection of their core kit frames, which are kept in stock. However, any frame from this catalogue may be ordered, and will typically arrive within one week.

WHAT IS YOUR EMPLOYER'S POLICY REQUIREMENT?

Frame style

Does your employer require that you have a specific style of frame? For example, many employers require safety eyewear to consist of close-fitting style frames only, with minimum gap sizes between 6 to 8 mm. Check your job order for this information or ask your company safety professional for details.

Compliance standard

EyeSafeTM provides frames that meet CSA Z94.3 (Canadian Standards Association) and ANSI Z87.1 (American National Standards Institute). Your employer will have a policy as to which standard(s) are acceptable for safety frames. Check your job order for this information, or if in doubt, ask your company safety professional for details.

Side shields

All EyeSafe™ frames come with side shields as required by CSA Z94.3 and ANSI Z87.1 standards. Some frames are available with detachable side shields that can be completely removed when situations allow for it. When choosing a frame, ensure that the available side shields meet your employer's requirements as noted on your job order.









Available Sizes

39

65.4


16

125


 Strap Nose Pads

62









Accessories

SOLD SEPARATELY

INCLUDED

Dust Dam

Dust Dam

Nose Pads





Black







		\bigcirc)~(
62	39	65.4	16	120


STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3

FEATURES

• Non-Conductive

MATERIAL

Accessories

Plastic

Available Sizes

		\bigcirc)	
64	38.5	68.4	18	116

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

- ATEMAE
- Plastic

• Non-Conductive

 Adjustable Temples

FEATURES

 Replaceable Temples

Accessories

INCLUDED

Lens Holders







COD Strap

Full Seal

INCLUDED



SOLD SEPARATELY

- Full Seal
- Strap

Accessories

INCLUDED





Full Seal Strap

SOLD SEPARATELY

- Full Seal
- Strap
- Frame Temples

SOLD SEPARATELY• Removable


- Lens Holders
 Full Seal
- Strap










Available Sizes













Camo

ADDITIONAL COLOURS



Grey

ArmouRx **6013**

6 Base



Black

NO ADDITIONAL COLOURS

ArmouRx **6014**

6 Base



Canadian Flag

NO ADDITIONAL COLOURS

Available Sizes

		⊘) (
547	35.4	59.4	21	116

STANDARDS

- ANSI Z87.1
- CSA Z94.3

FEATURES

 Adjustable Nose Pads

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Available Sizes

\bigcirc		\bigcirc)	
54.5	33.3	54.9	17	125

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Available Sizes

\bigcirc) (
60.1	37.46	65.16	16	129

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Available as 6014A with Alternative Nasal Fit
- Canadian Flag on Temples

Accessories

INCLUDED



- Full Seal
- Nose Pads







Blue/Beige

ADDITIONAL COLOURS



Black/Grey

ArmouRx 6016 6 Base



Brown/Beige

ADDITIONAL COLOURS



Black/Grey

ArmouRx





Grey/Orange

ADDITIONAL COLOURS



Crystal/Blue

Available Sizes



STANDARDS

• ANSI Z87.1 • CSA Z94.3

MATERIAL

• Plastic

FEATURES • Available as 6015A with Alternative Nasal Fit

Available Sizes

\bigcirc) (
64.33	35.94	68.6	16	126

STANDARDS

- ANSI Z87.1 • CSA Z94.3
- MATERIAL

Available Sizes

\bigcirc		\bigcirc)		
57	39.1	62.4	15	129	
61	42	67	15	129	

STANDARDS

- ANSI Z87.1
- CSA Z94.3 MATERIAL

Plastic

FEATURES

- Non-Conductive
- Adjustable Temples

• Plastic

Accessories

INCLUDED



Full Seal

SOLD SEPARATELY

Full Seal

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

INCLUDED

Accessories



- Full Seal
- Nose Pads





Black

NO ADDITIONAL COLOURS

ArmouRx



Grey

NO ADDITIONAL COLOURS

ArmouRx

8 Base



Grey

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3
- D3 Splash

MATERIAL

• Plastic

Accessories

INCLUDED

Rubber Seal

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3

• Aluminium with polycarbonate

FEATURES

MATERIAL

- Metal

Available Sizes

\bigcirc) (
62	38.5	65	17	127

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Metal

Plastic

• Aluminium with polycarbonate

FEATURES

- Plastic

Accessories

INCLUDED

Not Applicable

INCLUDED

Not Applicable

Accessories

SOLD SEPARATELY

Not Applicable

SOLD SEPARATELY

Not Applicable

SOLD SEPARATELY

Strap

- Rubber Seal
- Strap







Matte Black

HiDX

6 Base



Black/Yellow

ADDITIONAL COLOURS





HiDX



Gloss Black

ADDITIONAL COLOURS







Available Sizes



STANDARDS

ANSI Z87.1

• CSA Z94.3

FEATURES

MATERIAL

• Plastic

• Impact-rated nylon frame with integrated brow guard.

Accessories

INCLUDED



Rx Insert

SOLD SEPARATELY

Rx Insert

Available Sizes

\bigcirc)~(
60	44	60	15	130

STANDARDS

• ANSI Z87.1

MATERIAL

Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Available Sizes

\bigcirc		\bigcirc)~(
56	35	56	21	120

STANDARDS

• ANSI Z87.1

MATERIAL

Plastic

Accessories

INCLUDED





Full Seal Strap

- Full Seal
- Strap



Gloss Black

ADDITIONAL COLOURS









HIDX A006

6 Base



Gloss Black

ADDITIONAL COLOURS







HIDX **A008**

6.5 Base



Black/Sky Blue

ADDITIONAL COLOURS



Black/Electric Green

Available Sizes

$\overline{\bigcirc}$		\bigcirc)~(
59	36	60	17	125

STANDARDS

• ANSI Z87.1

MATERIAL

• Plastic

Available Sizes

		⊘ ⁺)~(
55	34	56	15	130
58	35	58	15	130

STANDARDS

• ANSI Z87.1

MATERIAL

• Plastic

Available Sizes

		\bigcirc)~(
60	39	60	15	138

STANDARDS

ANSI Z87.1

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Accessories

INCLUDED



Dust Dam

SOLD SEPARATELY

- Dust Dam
- Nosepads

Accessories

INCLUDED



Dust Dam

SOLD SEPARATELY

• Dust Dam












Accessories

INCLUDED

Rubber Seal

SOLD SEPARATELY

Rubber Seal



Available Sizes


36

56

17

125

55





Black

ADDITIONAL COLOURS



Brown







6 Base



Black

NO ADDITIONAL COLOURS

Available Sizes

$\overline{}$		\bigcirc)~(
57	34	58.6	16	120

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Non-Conductive
- Thermoplastic polyurethane
- Designed for better wear in more extreme environments

Available Sizes

Purple/White

	<u>I</u>	\bigcirc)~(
55	34	57.3	15	130
58	36	60	15	135

Green/Yellow

STANDARDS

- ANSI Z87.1
- CSA Z94.3

FEATURES

- Non-Conductive
- · Designed to fit a range of sizes

MATERIAL

Plastic

Available Sizes

\bigcirc		\bigcirc)~(
58	36	60.4	15	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Non-Conductive
- Indirect venting improves airflow and reduces fogging.

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Strap

Accessories

INCLUDED



Dust Dam

SOLD SEPARATELY

- Dust Dam
- Regular Bridge Piece
- Solid Bridge Piece
- - Close Fit
 - Bridge Piece
 - Strap

Accessories

INCLUDED





Rubber Seal Strap

SOLD SEPARATELY

- Rubber Seal
- Strap

Please note: OG 220S accessories are not compatible with OG 220FS





Matte Navy/Orange

ADDITIONAL COLOURS



Gunmetal/Green





Black/Yellow

Hilco **OG 240S**





Matte Black

ADDITIONAL COLOURS



Gunmetal





Hilco **OG 255S**





Clear

NO ADDITIONAL COLOURS

Available Sizes

	IO:	\bigcirc)~(
55	34	57.3	15	130
57	36	60	16	135
61	39	63.3	17	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Non-Conductive
- Order Model OG225FDD to Include Full Seal instead of Dust Dam

Available Sizes

		\bigcirc)~(
57	37	59	15	135
61	39	62.9	15	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Non-Conductive
- Order Model OG240FDD to Include Full Seal

59

Available Sizes

39

62.2

STANDARDS

- ANSI Z87.1
- CSA Z94.3

FEATURES

15

130-139

- Non-Conductive
- Adjustable Temple Length

MATERIAL

• Plastic

Accessories

INCLUDED





Piece

Extra Bridge

SOLD SEPARATELY

- Dust Dam
- Full Seal • Regular Bridge Piece
- Solid Bridge Piece
- Close Fit Bridge Piece
- Strap

Accessories

INCLUDED

Strap

SOLD SEPARATELY

- Full Seal
- Bridge Piece
- Strap

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Strap





Black

NO ADDITIONAL COLOURS

Hilco **OG W254**



Shiny Black Gradient

NO ADDITIONAL COLOURS

Hilco **OG W260**

6 Base



Grey

ADDITIONAL COLOURS



Available Sizes



48



41





53.7



17



Strap

Available Sizes



59







13



118



Available Sizes





15



130

STANDARDS

- ANSI Z87.1
- CSA Z94.3
- D4 Dust

D3 Splash

MATERIAL

Plastic

FEATURES

- Strap and Rubber Seal Built Into Frame Body
- D4 Dust* MATERIAL

STANDARDS

• ANSI Z87.1

• CSA Z94.3

D3 Splash*

Plastic

FEATURES

- Adjustable TPR Wire Core Temples
- · Adjustable/ Replacable Nose Pads

*Certification requires optional full seal insert

- **STANDARDS** • ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

Accessories

INCLUDED





Rx Insert

Strap

INCLUDED

Accessories







Rubber Strap

Strap

SOLD SEPARATELY

Not applicable

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

SOLD SEPARATELY

RX Insert







Black/Red

ADDITIONAL COLOURS



Black/Grey

Hilco **US 110FS**

Black/Red

ADDITIONAL COLOURS











STANDARDS

- ANSI Z87.1
- CSA Z94.3
- Non-Conductive

MATERIAL

• Plastic

FEATURES

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Full Seal
- Bridge Piece
- Strap

Available Sizes

\bigcirc)~(
59	37.5	62.9	17	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

FEATURES

• Non-Conductive

• Plastic

Accessories

INCLUDED



Full Seal

SOLD SEPARATELY

- Full Seal
- Bridge Piece
- Strap

Available Sizes

		\bigcirc)~(
56	41	61.9	18	135

STANDARDS

FEATURES

- ANSI Z87.1
- CSA Z94.3
- Non-Conductive

MATERIAL

• Plastic

Accessories

INCLUDED



Full Seal

- Full Seal
- Bridge Piece
- Strap

WileyX **Airrage**



Matte Black

ADDITIONAL COLOURS



Gloss Black

WileyX **Boss**



NO ADDITIONAL COLOURS

WileyX BossRX



Matte Black

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

- ANSI Z87.1 CSA Z94.3
- MATERIAL
- Plastic

Accessories

SOLD SEPARATELY

Strap

INCLUDED

Full Seal

Full Seal

• Strap

FEATURES

- Super-tough triloid nylon material
- Polycarbonate Lenses Only
- Full Seal is Vented

Available Sizes

\bigcirc) (
68	42	_	18	125

STANDARDS

\bigcirc			\bigcap	
68	42	-	18	125

- ANSI Z87.1 CSA Z94.3
- MATERIAL
- Plastic

FEATURES

- Super-tough triloid nylon material
- Polycarbonate Lenses Only
- Full Seal is Vented

Available Sizes

\bigcirc		\bigcirc) (
59	36	-	23	125

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Super-tough triloid nylon material
- Polycarbonate Lenses Only
- Full Seal is Vented
- Can Be Converted to Regular Boss By Removing **RX Rims**

Accessories

INCLUDED





Full Seal

SOLD SEPARATELY

- Full Seal
- Strap

Accessories

INCLUDED







- Full Seal
- RX Rims
- Strap







Matte Black

ADDITIONAL COLOURS



Matte Hickory Brown

WileyX **Brick**

8 Base



Matte Black

ADDITIONAL COLOURS



WileyX **Gravity**

8 Base



Matte Black

ADDITIONAL COLOURS





Black Crystal

Kryptek Neptune

Available Sizes



STANDARDS

- ANSI Z87.1CSA Z94.3
- MATERIAL
- Plastic

FEATURES

- Super-tough triloid nylon material
- Polycarbonate Lenses Only
- Full Seal is Vented

Available Sizes



STANDARDS

- ANSI Z87.1
- MATERIAL
- Plastic

FEATURES

- Polycarbonate Lenses Only
- Full Seal is Vented

STANDARDS

63

Available Sizes

40

• ANSI Z87.1

MATERIAL

Plastic

FEATURES

 Polycarbonate Lenses Only

17

119

- Full Seal is Vented
- Ask for Quote on Kryptek Neptune Colour

Accessories

INCLUDED

Full Seal Strap

SOLD SEPARATELY

- Full Seal
- Strap

Accessories

INCLUDED

Full Seal

Strap

SOLD SEPARATELY

- Full Seal
- Strap

Accessories

INCLUDED





Full Seal

Strap

- Full Seal
- Strap





Matte Black

WileyX **O**mega



Matte Black

ADDITIONAL COLOURS



WileyX **Saber Advanced**



Matte Black

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

• ANSI Z87.1

MATERIAL

Plastic

FEATURES

- Polycarbonate Lenses Only
- · Full Seal is Vented
- Can Be Converted to Regular Gravity By Removing **RX** Rims

Available Sizes

\bigcirc		\bigcirc) (
66	42	_	17	125

STANDARDS

• ANSI Z87.1 • CSA Z94.3

MATERIAL

Accessories

INCLUDED

Strap

Plastic

FEATURES

- Polycarbonate Lenses Only
- · Ask for Quote on Kryptek Neptune Colour

44

Available Sizes

31

- STANDARDS • ANSI Z87.1
- CSA Z94.3
- 32432(GL)

MATERIAL

Plastic

FEATURES

25

114

- · Super-tough triloid nylon material with vadjustable bridge piece
- Interchangeable lens shield with integrated dust dam

Accessories

INCLUDED

• Full Seal

• RX Rims

Strap

eyesafe



SOLD SEPARATELY





Strap

SOLD SEPARATELY

Strap

Accessories

INCLUDED







- SOLD SEPARATELY • Bridge (Black/Tan)
- RX Insert







WileyX **Sleek**



Matte Black

ADDITIONAL COLOURS



WileyX **Twisted**



Matte Black

ADDITIONAL COLOURS



Matte Grey

Available Sizes



STANDARDS

• ANSI Z87.1

- CSA Z94.3

MATERIAL

Plastic

FEATURES

 Polycarbonate Lenses Only

Available Sizes

\bigcirc		\bigcirc) (
60	37	_	14	121

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Polycarbonate Lenses Only
- Full Seal is Vented

65

Available Sizes

39

FEATURES

17

Polycarbonate

Lenses Only

125

- STANDARDS ANSI Z87.1
- CSA Z94.3
- Ballistic 32432(GL)

MATERIAL

Plastic

Accessories

INCLUDED

Strap

SOLD SEPARATELY

• Strap

Accessories

INCLUDED





SOLD SEPARATELY

- Full Seal
- Strap

Accessories

INCLUDED

Strap

SOLD SEPARATELY

• Strap





Matte Black

Available Sizes

	<u>I</u>	\bigcirc)~(
42	35	_	24	133

STANDARDS

- ANSI 787.1
- CSA Z94.3 32432A

MATERIAL

Plastic

FEATURES

- · Super-tough triloid nylon material with adjustable bridge piece.
- Interchangeable anti-fog lens shield.

Accessories


INCLUDED




RX Insert

- Bridge
- RX Insert







- 2. Does the nose piece make contact without pinching?
- 3. Can you see clearly in all directions without major obstruction?
- 4. Is the overall weight of your safety eyewear evenly distributed between your ears?
- 5. Does your eyewear fit close to your face without hitting your eyelashes? Gaps should be less than or equal to 6-8mm, depending on your work environment.
- 6. Does your eyewear cover your eyebrow and any soft tissue around it?
- 7. Can you move your head front to back and tilt your head side to side without your eyewear shifting out of place?









Gunmetal

ADDITIONAL COLOURS



ArmouRx

5 Base



Black

ADDITIONAL COLOURS



ArmouRx

5 Base



Blue

ADDITIONAL COLOURS



Available Sizes

	IO	\bigcirc)	
60	43.6	64.9	16	145
63	45.8	67.9	16	150

FEATURES

• Only Available

With Fixed

Sideshields

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Metal

Available Sizes

		\bigcirc) (
56	36.3	55.6	18	140
59	38.1	58.6	18	145

STANDARDS

• ANSI Z87.1

• CSA Z94.3

• Only Available With Fixed Sideshields

FEATURES

MATERIAL

Metal

Available Sizes

\bigcirc	I	Ø.) (
51	35.3	50.3	18	135
53	36.7	52.7	18	140

STANDARDS

- ANSI Z87.1
- CSA Z94.3

• Only Available With Fixed Sideshields

FEATURES

MATERIAL

Metal

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Replacement Nose Pads

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Replacement Nose Pads

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Replacement Nose Pads







Grey

NO ADDITIONAL COLOURS

ArmouRx **5002**

3 Base



Blue

NO ADDITIONAL COLOURS

ArmouRx **5003**

5 Base



Black/Red

ADDITIONAL COLOURS



Crystal/Blue

Available Sizes



STANDARDS

ANSI Z87.1CSA Z94.3

MATERIAL

• Plastic

FEATURES

- 5001R: Detachable Side Shields (ANSI Z87.1 Only)
- 5001P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc) (
51	35.8	53.1	16	135

STANDARDS

ANSI Z87.1CSA Z94.3

MATERIAL

ked Side

• Plastic

FEATURES

- 5002R: Detachable Side Shields (ANSI Z87.1 Only)
- 5002P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc) (
61.2	41.9	65.8	13	134

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Detachable Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Detachable Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Nose Pads





Grey

ArmouRx

4 Base



Black

NO ADDITIONAL COLOURS

ArmouRx

5 Base



Brown

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

• Plastic

55.8

- STANDARDS

MATERIAL

• Plastic

Available Sizes

		\bigcirc) (
56.1	37.7	63.7	14	143

Available Sizes

39.1

61.7

14

143

- ANSI Z87.1
- CSA Z94.3

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable









Grey

NO ADDITIONAL COLOURS

ArmouRx

6 Base



Black

NO ADDITIONAL COLOURS

ArmouRx


6 Base



Brown

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

• Plastic

FEATURES

- Non-Conductive
- Vented Side Protection

Accessories

INCLUDED

Not Applicable

Available Sizes

		\bigcirc) (
59.9	47.5	66.4	19	138

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

FEATURES

- Adjustable Temples.
- Vented Side Protection.

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Available Sizes

		\bigcirc)~(
58.1	41.4	62.8	16	136

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

SOLD SEPARATELY Not Applicable





Black



ArmouRx

5 Base



Black

ADDITIONAL COLOURS



ArmouRx



Black

ADDITIONAL COLOURS



Available Sizes

	IO	\bigcirc) (
55	33.9	58.2	16	140
57	33.9	60	16	140

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Detachable Side

Shields

FEATURES

- 7000R: Detachable Side Shields (ANSI Z87.1 Only)
- 7000P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

52

55

Available Sizes

34.4

36.3

54.8

58

STANDARDS • ANSI Z87.1 • CSA Z94.3*

MATERIAL

Plastic

- 7001R: Detachable Side Shields
- 7001P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

FEATURES

15

15

145

150

- (ANSI Z87.1 Only)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Detachable Side Shields

Available Sizes

\bigcirc) (
54	32.5	57	15	145
57	32.5	59.4	15	150

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

• Plastic

FEATURES

- 7002R: Detachable Side Shields (ANSI Z87.1 Only)
- 7002P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Detachable Side Shields







Black



ArmouRx 7005



Brown

ADDITIONAL COLOURS



ArmouRx

5 Base



Bronze

ADDITIONAL COLOURS



Available Sizes

\bigcirc	I 🔿	Ø.) (
55	34.4	60.2	18	145
58	34.4	62.5	18	145

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7003R: Detachable Side Shields
- Side Shields (ANSI Z87.1,

- 7003P: Fixed

- (ANSI Z87.1 Only)
- CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Available Sizes

\bigcirc		\bigcirc) (
56	34.4	60.2	16	145
59	34.8	63	16	145

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7005R: Detachable Side Shields (ANSI Z87.1 Only)
- 7005P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- · Detachable Side Shields
- Nose Pads

Available Sizes

\bigcirc		Ø.) (
53	38.3	59	15	140
56	40.5	62.4	15	145

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7006R: Detachable Side Shields (ANSI Z87.1 Only)
- 7006P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Comfort Bridge





Bronze

ADDITIONAL COLOURS



ArmouRx 7008

5 Base



Brown

ADDITIONAL COLOURS



ArmouRx



Brown

ADDITIONAL COLOURS



Burgundy

Available Sizes

\bigcirc		\bigcirc) (
52	40.5	57.8	15	140
55	42.8	61.2	15	145

STANDARDS

- ANSI Z87.1 • CSA Z94.3
- MATERIAL
- Metal

FEATURES

- 7007R: Detachable Side Shields
- (ANSI Z87.1, CSA Z94.3)

- (ANSI Z87.1 Only)
- 7007P: Fixed Side Shields

53

Available Sizes

33.7

56.6

STANDARDS

- ANSI Z87.1 • CSA Z94.3
- MATERIAL

Metal

FEATURES

17

135

- 7008R: Detachable Side Shields (ANSI Z87.1 Only)
- 7008P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

STANDARDS

52

Available Sizes

33

54.6

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

Metal

FEATURES

17

135

- 7010R: Detachable Side Shields (ANSI Z87.1 Only)
- 7010P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- · Detachable Side Shields
- Comfort Bridge

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- · Detachable Side Shields
- Nose Pads

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Nose Pads







Brown

ADDITIONAL COLOURS



ArmouRx

5 Base



Black

ADDITIONAL COLOURS



ArmouRx



Black

ADDITIONAL COLOURS



Available Sizes

	IO.	⊘ ⁺)~(
55	34.1	57.8	17	140
57	35.3	60.2	17	140
59	36.5	62.2	17	145

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Detachable Side

Shields

Nose Pads

FEATURES

- 7012R: Detachable Side Shields (ANSI Z87.1 Only)
- 7012P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

MATERIAL

Available Sizes

		\bigcirc)	
52	34.4	55.8	17	140
54	35	57.5	17	140
56	36.3	59.8	17	145

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

Metal

FEATURES

- 7013R: Detachable Side Shields (ANSI Z87.1 Only)
- 7013P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Available Sizes

\bigcirc		\bigcirc) (
56	34.4	60.8	16	145
59	35.8	64	16	145

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7015R: Detachable Side Shields (ANSI Z87.1 Only)
- 7015P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Nose Pads





Black

ADDITIONAL COLOURS



Burgundy

ArmouRx

4 Base



Black/Grey

ADDITIONAL COLOURS



ArmouRx

4 Base



Black/Blue

ADDITIONAL COLOURS



Charcoal/Grey

Available Sizes

34.5

36.7

59.1

62.3

Available Sizes

		⊘ ⁺)~(
54	35.6	56.6	15	135

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Detachable Side

Shields

FEATURES

- 7018R: Detachable Side Shields (ANSI Z87.1 Only)
- Side Shields (ANSI Z87.1,

 7018P: Fixed CSA Z94.3)

55

58

Available Sizes

37.4

39.4

58.6

61.9

- STANDARDS
- ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

• 7100R: Detachable Side Shields (ANSI Z87.1 Only)

 $\gamma =$

140

145

16

16

 7100P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

STANDARDS

56

59

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

Metal

FEATURES

• 7101R: Detachable Side Shields (ANSI Z87.1 Only)

 $\gamma =$

140

145

16

16

• 7101P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

· Detachable Side Shields

SOLD SEPARATELY

Nose Pads

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Nose Pads







Olive

ADDITIONAL COLOURS



Purple

ArmouRx **7105**

5 Base



Black

ADDITIONAL COLOURS



ArmouRx
7106
5 Base
Brown

ADDITIONAL COLOURS



Available Sizes



STANDARDS

ANSI Z87.1CSA Z94.3*


MATERIAL

Metal

FEATURES

- 7103R: Detachable Side Shields (ANSI Z87.1 Only)
- 7103P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes



STANDARDS

ANSI Z87.1CSA Z94.3*

MATERIAL

Plastic

FEATURES

- 7105R: Detachable Side Shields (ANSI Z87.1 Only)
- 7105P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

STANDARDS

50

Available Sizes

35.8

51.9

ANSI Z87.1CSA Z94.3*

MATERIAL

Plastic

FEATURES

 7106R: Detachable Side Shields (ANSI Z87.1 Only)

16

138

 7106P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

 Detachable Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

 Detachable Side Shields



Black

NO ADDITIONAL COLOURS

ArmouRx

6 Base



Black

NO ADDITIONAL COLOURS

ArmouRx

5 Base



Grey

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

- ANSI Z87.1 CSA Z94.3*
- MATERIAL
- Metal
- 7107R: Detachable Side Shields
- 7107P: Fixed Side Shields (ANSI Z87.1,

FEATURES

- (ANSI Z87.1 Only)
- CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Detachable Side

Shields

Nose Pads

Available Sizes

\bigcirc		\bigcirc) (
60	36.4	64	17	140

STANDARDS

- ANSI Z87.1 CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7108R: Detachable Side Shields (ANSI Z87.1 Only)
- 7108P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

STANDARDS

• ANSI Z87.1 CSA Z94.3*

Metal

Available Sizes

		⊘) (
56	45.4	61	18	140
60	48.6	65.3	18	145

FEATURES

• Ventilated Integrated Side Shields

MATERIAL

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Nose Pads

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Nose Pads







Brown

ADDITIONAL COLOURS



Grey

ArmouRx

5 Base



Brown

ADDITIONAL COLOURS



ArmouRx 7402

5 Base



Blue

ADDITIONAL COLOURS



Available Sizes

		\bigcirc)~(
56	35.4	60.8	16	140
50.2	373	63.7	16	1/15

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7400R: Detachable Side Shields
- 7400P: Fixed (ANSI Z87.1,

- (ANSI Z87.1 Only)
- Side Shields CSA Z94.3)

Available Sizes

\bigcirc	I	Ø.) (
56	35.4	60.5	18	140
59.2	37.2	63.6	18	145

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7401R: Detachable Side Shields (ANSI Z87.1 Only)
- 7401P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

54.1

57

Available Sizes

37.2

39.5

- STANDARDS • ANSI Z87.1
- CSA Z94.3*

MATERIAL

Metal

FEATURES

18

18

57.4

60.5

• 7402R: Detachable Side Shields (ANSI Z87.1 Only)

 $\gamma =$

140

145

• 7402P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

INCLUDED

Not Applicable

Accessories

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- · Detachable Side Shields
- Nose Pads

Accessories

INCLUDED

Not Applicable

- Detachable Side Shields
- Nose Pads





Grey

NO ADDITIONAL COLOURS

ArmouRx **7502**

6 Base



Black

ADDITIONAL COLOURS



Brown

ArmouRx **7700**

5 Base



Burgundy

ADDITIONAL COLOURS



Violet

Available Sizes

		\bigcirc) (
57	43	63	18	145

STANDARDS

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

Not Applicable

SOLD SEPARATELY

Available Sizes

\bigcirc		\bigcirc) (
58.3	42.3	63.8	18	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

• Plastic

Available Sizes

		⊘) (
53	35.1	55.5	17	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

Metal

FEATURES

- 7700R: Detachable Side Shields (ANSI Z87.1 Only)
- 7700P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads







Brown

ADDITIONAL COLOURS



ArmouRx

5 Base



Black

ADDITIONAL COLOURS



ArmouRx

5 Base



Black

ADDITIONAL COLOURS



Available Sizes

	IO	\bigcirc)~(
49	35.4	50.7	20	140
52	37.4	54.2	20	145

STANDARDS

- ANSI Z87.1 • CSA Z94.3*
- MATERIAL

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Detachable Side

Shields

Nose Pads

Metal

FEATURES

- 7701R: Detachable Side Shields (ANSI Z87.1 Only)
- 7701P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc)	
51	35.6	52.1	20	140
54	37.3	55.6	20	145

STANDARDS

- ANSI Z87.1 • CSA Z94.3*
- MATERIAL

Metal

FEATURES

- 7702R: Detachable Side Shields (ANSI Z87.1 Only)
- 7702P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Available Sizes

\bigcirc		\bigcirc) (
54.8	35.5	59.1	17	140
58	37.2	62.3	17	145

STANDARDS

- ANSI Z87.1 CSA Z94.3*
- MATERIAL
- Metal

FEATURES

- 8001R: Detachable Side Shields (ANSI Z87.1 Only)
- 8001P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads





Brown

ADDITIONAL COLOURS



Grey

HIDX A001

6 Base



Matte Black

ADDITIONAL COLOURS







HIDX A002

6 Base



Matte Black

ADDITIONAL COLOURS



Blue/Orange



Available Sizes

	<u>I</u>	\bigcirc)	
56.4	35.3	60	17	140
59.4	36.8	63.1	17	145

STANDARDS

- ANSI Z87.1
- ANSI 287.1CSA Z94.3*

MATERIAL

Metal

FEATURES

- 8002R: Detachable Side Shields (ANSI Z87.1 Only)
- 8002P: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc)	
57	44	58	18	130

STANDARDS

• ANSI Z87.1

MATERIAL

• Plastic

Available Sizes

		\bigcirc)~(
55	44	56	19	130

STANDARDS

• ANSI Z87.1

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

- Detachable Side Shields
- Nose Pads

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Not Applicable

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY


Not Applicable






Available Sizes













Black

ADDITIONAL COLOURS



Tortoise

Hilco OG 095

6 Base



Gunmetal

ADDITIONAL COLOURS



Gold





Antique Pewter

ADDITIONAL COLOURS



Available Sizes

41

42

44

45

56.7

Chrome

Available Sizes

\bigcirc		⊘) (
52	34	54.5	17	140

STANDARDS

ANSI Z87.1CSA Z94.3*

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

Side Shields

SOLD SEPARATELY

FEATURES

- OG015:
 Detachable
 Side Shields
 (ANSI Z87.1 Only)
- OG015: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		Ø.) (
52	41	56.7	17	140
54	42	58.4	17	140
56	44	60.7	17	140

STANDARDS

ANSI Z87.1CSA Z94.3*

MATERIAL

Metal

FEATURES

- Monel material
- OG095: Detachable Side Shields (ANSI Z87.1 Only)
- OG095: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

- ANSI Z87.1
 - CSA Z94.3*

STANDARDS

MATERIAL

Metal

52

54

56

58

58.4 17 140 60.7 17 140 63.4 17 140

17

140

FEATURES

- OG102:
 Detachable
 Side Shields
 (ANSI Z87.1 Only)
- OG102: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY







Black

ADDITIONAL COLOURS



Hilco **OG** 614



Matte Black

NO ADDITIONAL COLOURS



Blue

ADDITIONAL COLOURS



Available Sizes

		\bigcirc) (
54	33	57.5	17	135
57	33	60.2	17	145

STANDARDS

- ANSI Z87.1 • CSA Z94.3*
- MATERIAL

Metal

FEATURES

- Stainless steel and acetate with spring hinges
- OG613: Detachable Side Shields (ANSI Z87.1 Only)
- OG613: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Available Sizes

		⊘⁺)~(
55	37	58	17	140
58	37	60.5	18	140

STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Metal

FEATURES

- Stainless steel and acetate with spring hinges.
- OG614: Detachable Side Shields (ANSI Z87.1 Only)
- OG614: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Available Sizes

\bigcirc	\Box)	
58	45	62.4	14	140

STANDARDS

- ANSI Z87.1
- CSA Z94.3

MATERIAL

Plastic

Accessories

INCLUDED


Not Applicable


SOLD SEPARATELY


Not Applicable













There are different kinds of certifications for protective frames! Some of the common ones are:

CSA Z94.3

is a frame certification for eyewear that meets CSA safety standards.

ANSI Z87.1

is a frame certification for eyewear that meets ANSI safety standards.

D3

standards.

D4

is a frame certification for eyewear that meets ANSI dust protection standards.

Ballistic 32432(GL)

for general ballistic protection.

Ballistic 32432A

is a US Military safety standard for higher velocity ballistic protection.


ASTM F803


is a frame certification for safety glasses.












Plastic



MATERIAL


Plastic







Accessories INCLUDED Not Applicable SOLD SEPARATELY Not Applicable













Matte Black

ADDITIONAL COLOURS






Gloss Crystal Light Olive



WileyX Apex 6 Base Gloss Black ADDITIONAL COLOURS Matte Black Matte Tortoise







STANDARDS

- ANSI Z87.1CSA Z94.3*
- **MATERIAL**
- Plastic

FEATURES

- Alfa: Detachable Side Shields (ANSI Z87.1 Only)
- Alfa: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)
- Super-tough triloid nylon material.
- Wire core adjustable temple tips.

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Side Shields

Available Sizes



STANDARDS

- ANSI Z87.1CSA Z94.3*
- MATERIAL
- Plastic

FEATURES

- Lightweight stainless steel temples.
- Apex: Detachable Side Shields (ANSI Z87.1 Only)
- Apex: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Side Shields

Available Sizes



STANDARDS

ANSI Z87.1CSA Z94.3*

MATERIAL

Plastic

FEATURES

- Lightweight stainless steel temples
- Axe: Detachable Side Shields (ANSI Z87.1 Only)
- Axe: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY





Dark Gunmetal/Utility Green

ADDITIONAL COLOURS



Silver/Gloss

WileyX Chase



Matte Black

ADDITIONAL COLOURS



Blue/Gloss Demi

WileyX **Contour**

4 Base



Matte Black

ADDITIONAL COLOURS



Gloss Black w/ Brown Stripe

Available Sizes



STANDARDS

- ANSI Z87.1
- CSA Z94.3*

MATERIAL

Metal

FEATURES

- Axis: Detachable Side Shields (ANSI Z87.1 Only)
- Axis: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

		\bigcirc) (
53	38	-	18	145

STANDARDS

 ANSI Z87.1 CSA Z94.3*

MATERIAL

Metal

FEATURES

- · Chase: Detachable Side Shields (ANSI Z87.1 Only)
- · Chase: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

54 36

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

• Plastic

FEATURES

17

140

- Contour: Detachable Side Shields (ANSI Z87.1 Only)
- · Contour: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY







Matte Black

ADDITIONAL COLOURS





Matte Crystal Dark Grey

Matte Hickory Brown

WileyX Founder



Gloss Crystal Grey

ADDITIONAL COLOURS







WileyX **Fusion**



Matte Black/Dark Gunmetal

ADDITIONAL COLOURS



Matte Silver/Gloss Clear Crystal

Available Sizes



STANDARDS

- ANSI Z87.1 CSA Z94.3*
- MATERIAL
- Plastic

FEATURES

- Epic: Detachable Side Shields (ANSI Z87.1 Only)
- Epic: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc) (
56	44	-	17	135

STANDARDS

- ANSI Z87.1 CSA Z94.3*
- MATERIAL
- Plastic

FEATURES

- Founder: Detachable Side Shields (ANSI Z87.1 Only
- Founder: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes



STANDARDS

 ANSI Z87.1 CSA Z94.3*

MATERIAL

Metal

FEATURES

- Fusion: Detachable Side Shields (ANSI Z87.1 Only)
- · Fusion: Fixed Side Shields (ANSI Z87.1. CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY





Matte Black

NO ADDITIONAL COLOURS

WileyX Judge



Matte Black

ADDITIONAL COLOURS



Black/Clear Fade

Available Sizes

38

Gloss

WileyX **Ovation**



Matte Black

ADDITIONAL COLOURS







Dark Grey & Tan

Available Sizes

41

Matte Tortoise



STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

• Plastic

Accessories

INCLUDED

Not Applicable

FEATURES

- Helix: Detachable Side Shields (ANSI Z87.1 Only)
- Helix: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

55

STANDARDS • ANSI Z87.1 • CSA Z94.3*

MATERIAL

Plastic

FEATURES

18

150

- · Super-tough triloid nylon material
- Judge: Detachable Side Shields (ANSI Z87.1 Only)
- Judge: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

STANDARDS

56

- ANSI Z87.1 CSA Z94.3*

MATERIAL

Plastic

FEATURES

· Super-tough triloid nylon material.

18

140

- Ovation: Detachable Side Shields (ANSI Z87.1 Only)
- Ovation: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

SOLD SEPARATELY







Matte Black

ADDITIONAL COLOURS



Gloss Crystal/ Light Grey

WileyX Recon



Matte Black

ADDITIONAL COLOURS



Available Sizes

40

WileyX Serenity



Gloss Brown Demi/Champagne

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

• ANSI Z87.1 • CSA Z94.3*

MATERIAL

Plastic

- Profile: Detachable Side Shields (ANSI Z87.1 Only)
- (ANSI Z87.1,

FEATURES

- Profile: Fixed
- Side Shields CSA Z94.3)

 ANSI Z87.1 • CSA Z94.3*

STANDARDS

59

MATERIAL

• Plastic

FEATURES

17

135

- Recon: Detachable Side Shields (ANSI Z87.1 Only)
- · Recon: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc) (
53	38	-	16	145

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

• Plastic

FEATURES

- Serenity: Detachable Side Shields (ANSI Z87.1 Only)
- · Serenity: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY





Gloss Black

ADDITIONAL COLOURS





Matte Graphite

WileyX

6 Base



Matte Black

ADDITIONAL COLOURS

Available Sizes

46



Dark Grey





WileyX



Gloss Midnight Blue/Lilac Demi

NO ADDITIONAL COLOURS

Available Sizes



STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

Plastic

FEATURES

- · Super-tough triloid nylon material
- · Lens ventilation to increase airflow.
- · Sierra: Detachable Side Shields (ANSI Z87.1 Only)
- Sierra: Fixed Side Shields (ANSI Z87.1,

- CSA Z94.3)

Plastic

57

MATERIAL

STANDARDS

• ANSI Z87.1

CSA Z94.3*

FEATURES

17

140

- Trek: Detachable Side Shields (ANSI Z87.1 Only)
- Trek: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Available Sizes

\bigcirc		\bigcirc)	
53	33	-	16	140

STANDARDS

• ANSI Z87.1 CSA Z94.3*

MATERIAL

Plastic

FEATURES

- · Virtue: Detachable Side Shields (ANSI Z87.1 Only)
- · Virtue: Fixed Side Shields (ANSI Z87.1, CSA Z94.3)

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

· Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY

• Side Shields

Accessories

INCLUDED

Not Applicable

SOLD SEPARATELY



Discontinued Frames

Wrap Frames









STANDARDS

- ANSI Z87.1
- CSA Z94.3
- Ballistic 32432(GL)

MATERIAL

Plastic









STANDARDS

ANSI Z87.1



WileyX **EnzoRX**





55

64



STANDARDS

ANSI Z87.1

MATERIAL Plastic

WileyX Nash







) (

17

STANDARDS

- ANSI Z87.1
- CSA Z94.3 Ballistic 32432(GL)
- MATERIAL Plastic

WileyX







STANDARDS

- ANSI Z87.1
- CSA Z94.3
- Ballistic 32432(GL)

MATERIAL

Plastic

Flat Frames

ArmouRx 5008









135

122

STANDARDS

- ANSI Z87.1
- CSA Z94.3
- MATERIAL Plastic

ArmouRx 7004



Brown, Green



57

\bigcirc		\bigcirc) (
56	39	61.6	15	140
59	41	65	15	145

STANDARDS

- ANSI Z87.1
- CSA Z94.3
- MATERIAL Metal

ArmouRx 7009









STANDARDS

- ANSI Z87.1
- CSA Z94.3
- MATERIAL Metal

ArmouRx 7102



Brown, Pink

Available Sizes

\bigcirc		\bigcirc) (
54	35	56.4	16	135

STANDARDS

- ANSI Z87.1
- CSA Z94.3
- Metal

MATERIAL

MATERIAL

ArmouRx 7500




Available Sizes



STANDARDS

 ANSI Z87.1 • CSA Z94.3 Plastic



TAKING CARE OF YOUR SAFETY EYEWEAR

- Your safety eyewear should always be kept clear of dirt and debris.
- Use a proper cleaning cloth and store it in the provided protective case when not in use.
- Always check your eyewear before use.
- Look for any cracks, missing components, or a loose fit.
- If you think your eyewear may be unsafe for the hazard being faced, do not use the eyewear, and talk to your supervisor or a worksite safety professional straight away.

ALL SAFETY EYEWEAR IS COVERED FOR:

- Prescription changes for up to 120 days from completion
- Frame changes for up to 120 days from completion
- Frame defects for up to 1 year*

LENS COATING WARRANTIES

Basic coating	No warranty
Deluxe Coating	1 x Coverage includes coating flaws for up to 1 year from completion
Premium Coating	2 x Coverage includes coating flaws, regular wear and tear scratches for up to 2 years from completion

YOUR SAFETY EYEWEAR WARRANTY DOES NOT COVER:

- Deep scratches, chips, or cracks on the lens
- Nose pieces, dust dams, or other consumable items
- *Misuse: being sat on, handled roughly, or manually altered

*PLEASE NOTE

Do not attempt repair if your safety eyewear becomes damaged; it must be replaced immediately. Attempts at repair will void your eyewear's warranty.

CONTACT US



Office

Unit 121, 10551 Shellbridge Way Richmond, BC V6X 2W9



Telephone

1-604-737-9947 1-866-687-2226



Website

http://eyesafebc.ca




Fax

1-604-737-9967



E-mail

info@eyesafebc.ca



In British Columbia, WorkSafeBC requires the minimum certification for safety frames as either CSA Z94.3 or ANSI Z87.1. Depending on your specific work conditions, your employer may also set additional restrictions to better ensure your safety.

Different provinces in Canada also have different rules! Make sure to ask your local EyeSafe program if you are unsure of what your local safety requirements are!



